Important Safety Information

Important Product Information

INVEGA SUSTENNA® for schizophrenia

For healthcare professionals



Search

Learn About INVEGA SUSTENNA®

How INVEGA SUSTENNA® Works

What to Tell Your Doctor Before Starting INVEGA SUSTENNA®

Important Safety Information

About Schizoaffective Disorder

Getting Started With INVEGA SUSTENNA®

If You're Already on INVEGA SUSTENNA®

Real People. Real Stories.

Helpful Resources

For Caregivers

INVEGA SUSTENNA® (paliperidone palmitate) Important Safety Information and Side Effects

INVEGA SUSTENNA® may cause side effects in some people. If you think you may be experiencing a side effect, **always tell your doctor** or **Treatment Team** right away. Your doctor may decide to adjust the dose that you are currently taking or change your medication.

The most common side effects of INVEGA SUSTENNA® include: injection site reactions; sleepiness or drowsiness; dizziness; feeling restlessness or needing to be constantly moving; abnormal muscle movements, including tremor (shaking), shuffling, uncontrolled involuntary movements, and abnormal movements of your eyes. Please see the important safety information below and speak with your healthcare professional.

INDICATIONS

INVEGA SUSTENNA® (In-VEY-guh Suss-TEN-uh) (paliperidone palmitate) Extended-Release Injectable Suspension is a prescription medicine given by injection by a healthcare professional. INVEGA SUSTENNA® is used for schizoaffective disorder in adults, either alone or in combination with other medicines such as mood stabilizers or antidepressants, and is used to treat schizophrenia in adults.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about INVEGA SUSTENNA®?

INVEGA SUSTENNA® can cause serious side effects, including an increased risk of death in elderly people who are confused, have memory loss, and have lost touch with reality (dementia-related psychosis). INVEGA SUSTENNA® is not for treating dementia-related psychosis.

Do not receive INVEGA SUSTENNA® if you are allergic to paliperidone, paliperidone palmitate, risperidone, or any of the ingredients in INVEGA SUSTENNA®. See the end of the Patient Information leaflet in the full Prescribing Information for a complete list of INVEGA SUSTENNA® ingredients.

Before you receive INVEGA SUSTENNA®, tell your healthcare professional about all your medical conditions, including if you:

- have had Neuroleptic Malignant Syndrome (NMS)
- have or have had heart problems, including a heart attack, heart failure, abnormal heart rhythm, or long QT syndrome
- · have or have had low levels of potassium or magnesium in your blood
- have or have had uncontrolled movements of your tongue, face, mouth, or jaw (tardive dyskinesia)
- have or have had kidney or liver problems
- · have diabetes or have a family history of diabetes
- · have had a low white blood cell count
- have had problems with dizziness or fainting or are being treated for high blood pressure
- · have or have had seizures or epilepsy
- · have any other medical conditions
- are pregnant or plan to become pregnant. It is not known if INVEGA SUSTENNA® will harm your unborn baby
 - If you become pregnant while taking INVEGA SUSTENNA®, talk to your healthcare professional about registering with the National Pregnancy Registry for Atypical Antipsychotics. You can register by calling 1-866-961-2388 or visit http://womensmentalhealth.org/clinical-andresearch-programs/pregnancyregistry/.
 - Infants born to women who are treated with INVEGA SUSTENNA® may experience symptoms such as tremors, irritability, excessive sleepiness, eye twitching, muscle spasms, decreased appetite, difficulty breathing, or abnormal movement of arms and legs. Let your healthcare professional know if these symptoms occur.
- are breastfeeding or plan to breastfeed. INVEGA SUSTENNA® can pass into your breast milk. Talk to
 your healthcare professional about the best way to feed your baby if you receive INVEGA
 SUSTENNA®.

Tell your healthcare professional about all the medicines you take, including prescription and over-the-

counter medicines, vitamins, and herbal supplements. Know the medicines you take. Keep a list of them to show to your healthcare professional or pharmacist when you get a new medicine.

Patients (particularly the elderly) taking antipsychotics with certain health conditions or those on long-term therapy should be evaluated by their healthcare professional for the potential risk of falls.

What should I avoid while receiving INVEGA SUSTENNA®?

- INVEGA SUSTENNA® may affect your ability to make decisions, think clearly, or react quickly. Do not
 drive, operate heavy machinery, or do other dangerous activities until you know how INVEGA
 SUSTENNA® affects you
- · avoid getting overheated or dehydrated

INVEGA SUSTENNA® may cause serious side effects, including:

- See "What is the most important information I should know about INVEGA SUSTENNA®?"
- · stroke in elderly people (cerebrovascular problems) that can lead to death
- Neuroleptic Malignant Syndrome (NMS). NMS is a rare but very serious problem that can happen in
 people who receive INVEGA SUSTENNA®. NMS can cause death and must be treated in a hospital.
 Call your healthcare professional right away if you become severely ill and have any of these
 symptoms: high fever; severe muscle stiffness; confusion; loss of consciousness; changes in your
 breathing, heartbeat, and blood pressure
- problems with your heartbeat. These heart problems can cause death. Call your healthcare
 professional right away if you have any of these symptoms: passing out or feeling like you will pass
 out; dizziness; or feeling as if your heart is pounding or missing beats
- · uncontrolled movements of your tongue, face, mouth, or jaw (tardive dyskinesia)
- metabolic changes. Metabolic changes may include high blood sugar (hyperglycemia), diabetes mellitus and changes in the fat levels in your blood (dyslipidemia), and weight gain
- · low blood pressure and fainting
- · changes in your blood cell counts
- high level of prolactin in your blood (hyperprolactinemia). INVEGA SUSTENNA® may cause a rise in the blood levels of a hormone called prolactin (hyperprolactinemia) that may cause side effects including missed menstrual periods, leakage of milk from the breasts, development of breasts in men, or problems with erection
- · problems thinking clearly and moving your body
- seizures
- difficulty swallowing that can cause food or liquid to get into your lungs
- prolonged or painful erection lasting more than 4 hours. Call your healthcare professional or go to your nearest emergency room right away if you have an erection that lasts more than 4 hours
- problems with control of your body temperature, especially when you exercise a lot or spend time doing things that make you warm. It is important for you to drink water to avoid dehydration

The most common side effects of INVEGA SUSTENNA® include: injection site reactions; sleepiness or drowsiness; dizziness; feeling restlessness or needing to be constantly moving; abnormal muscle movements, including tremor (shaking), shuffling, uncontrolled involuntary movements, and abnormal movements of your eyes.

Tell your healthcare professional if you have any side effect that bothers you or does not go away. These are not all the possible side effects of INVEGA SUSTENNA®. For more information, ask your healthcare professional or pharmacist.

Call your doctor for medical advice about side effects. You are encouraged to report side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

General information about the safe and effective use of INVEGA SUSTENNA®.

Medicines are sometimes prescribed for purposes other than those listed in a Patient Information leaflet. Do not use INVEGA SUSTENNA® for a condition for which it was not prescribed. Do not give INVEGA SUSTENNA® to other people, even if they have the same symptoms that you have. It may harm them. You can ask your pharmacist or healthcare professional for information about INVEGA SUSTENNA® that is written for healthcare professionals.

This Patient Information leaflet summarizes the most important information about INVEGA SUSTENNA®. If you would like more information, talk with your healthcare professional.

You can ask your healthcare professional or pharmacist for more information that is written for healthcare professionals. For more information, go to **www.invegasustenna.com** or call 1-800-526-7736.

Please click here to read the full Prescribing Information, including Boxed WARNING, for INVEGA SUSTENNA® and discuss any questions you have with your healthcare professional.

cp-64205v2

This site is published by Janssen Pharmaceuticals, Inc., which is solely responsible for its contents. The material on this site is intended only as informational or as an educational aid and it is not intended to be taken as medical advice. The ultimate responsibility for patient care resides with a healthcare professional.

This information is intended for the use of patients and care partners in the United States and Puerto Rico only. Laws, regulatory requirements, and medical practices for pharmaceutical products vary from market to market. The Prescribing Information included here may not be appropriate for use outside the United States and Puerto Rico.

Third party trademarks used herein are trademarks of their respective owners.

Last updated 03/2024 | cp-72158v9

Contact Us Site Map

information

information

5 of 5